

F: PROJECTS 4720 ENT 4720-100.DWG - xref's loaded in file

CONTRACTOR IS RESPONSIBLE FOR ALL SETTING OUT AND MUST CHECK DIMENSIONS ON SITE

BEFORE WORK IS PUT IN HAND

PT PRELINIMARY ISSUE FOR INFORMATION 22 tilling/Mirrors changed

2. WRITTEN DIMENSIONS ONLY TO BE TAKEN

THIS DRAWING MUST NOT BE SCALED

3. ARCHITECT TO BE IMMEDIATELY NOTIFIED OF

SUSPECTED OMISSIONS OR DISCREPANCIES


21.06.16

09 421 —Mira "Flight" 1400mm x and rail

800mm walk in shower tray 400825 and "Leap" walk in shower enclosure 1.1857.265 and Mira Agile Sense ERD+ 1.1736.414 thermostatic shower valve and 7l/min flow restrictor with handset, hose

All soil pipe sizes dependanton runs, etc. and to be in accordance with specification notes.

Soil pipes to be fully insulatedwith 50mm thick mineral wool, or similar approved and enclosed with 2 no. layers of 12.5mm plasterboard on 38 x 50mm, softwood timber framing. Provide access for rodding as required



10 First Floor Shower General Arrangement Plan Scale: 1:20