

Housing Development Hebdon Road Tooting

Door Schedule 4720-A-600

Job N°	4720
Discipline:	Architectural
Client:	Bellway Homes
Tenant:	
Status:	CONSTRUCTION
Rev & date:	Rev C3 ISSUED FOR CONSTRUCTION 160722105101



Door Tag Code	Type	Level and Plot	Room N°	Opening N°	Room Name	Structural Opening Size (IMPORTANT: SITE CHECK ALL)			Door Leaf Size			Fire Rating (Door & Frame)	Acoustic Rating Rw(dB)	Finishes		Vision Panels (Per leaf)		Kick-plates Req'd	Access Control Req'd (Y/N)	Iron mongery Pack	Assembly Elevation Type	Spec Ref:	Comments
						Height	Width	Depth	Height	Width	Depth			Door	Frame	Height	Width						
D-F18-01-01	D	F18	01	01	Bedroom 1	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-F18-02-01	D	F18	02	01	Ensuite	2040	846	100	1981	762	44	-	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-F18-04-01	D	F18	04	01	Bedroom 4	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-F19-01-01	D	F19	01	01	Bedroom 1	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-F19-02-01	D	F19	02	01	En Suite	2040	846	100	1981	762	44	-	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-F19-03-01	D	F19	03	01	Bedroom 4	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-F5-01-01	D	F5	01	01	Bedroom 1	2040	998	88	1981	914	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	03	Spec 12.0	x 2 No (Units 5&6). Part M compliant.
D-F5-02-01	D	F5	02	01	Bedroom 2	2040	998	88	1981	914	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	03	Spec 12.0	x 2 No (Units 5&6). Part M compliant.
D-F5-03-01	D	F5	03	01	En Suite	2040	998	100	1981	914	44	-	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	03	Spec 12.0	x 2 No (Units 5&6). Part M compliant.
D-F5-04-01	D	F5	04	01	Bathroom	2040	998	100	1981	914	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	03	Spec 12.0	x 2 No (Units 5&6). Part M compliant.

Housing Development Hebdon Road Tooting

Door Schedule 4720-A-600

Job N°	4720
Discipline:	Architectural
Client:	Bellway Homes
Tenant:	
Status:	CONSTRUCTION
Rev & date:	Rev C3 ISSUED FOR CONSTRUCTION 160722105101




Door Tag Code	Type	Level and Plot	Room N°	Opening N°	Room Name	Structural Opening Size (IMPORTANT: SITE CHECK ALL)			Door Leaf Size			Fire Rating (Door & Frame)	Acoustic Rating R _w (dB)	Finishes		Vision Panels (Per leaf)		Kick-plates Req'd	Access Control Req'd (Y/N)	Iron mongery Pack	Assembly Elevation Type	Spec Ref:	Comments
						Height	Width	Depth	Height	Width	Depth			Door	Frame	Height	Width						
D-F5-05-01	D	F5	05	01	Loft Hatch	550	550	-	540	540	44	-	-	Painted timber	White primed. Double grooved architrave.	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	05	Spec 12.0	x 2 No (Units 5&6).
D-F5-06-01	D	F5	06	01	Airing	1468	846	88	1425	762	44	-	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	04	Spec 12.0	x 2 No (Units 5&6). Part M compliant.
D-F8-01-01	D	F8	01	01	Bedroom 2	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-F8-02-01	D	F8	02	01	Bedroom 1	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-F8-03-01	D	F8	03	01	En Suite	2040	846	100	1981	762	44	-	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-F8-04-01	D	F8	04	01	Bathroom	2040	846	100	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-F8-05-01	D	F8	05	01	Loft Hatch	550	550	-	540	540	44	-	-	Painted timber	White primed. Double grooved architrave.	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	05	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-F8-06-01	D	F8	06	01	Airing	2040	846	88	1981	762	44	-	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-G18-01-01	D	G18	01	01	Living/Dining Room	2040	846	88	1981	764	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	1581	564	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	06	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-G18-02-01	D	G18	02	01	Wet Room	2040	846	106	1981	764	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)

Housing Development Hebdon Road Tooting

Door Schedule 4720-A-600

Job N°	4720
Discipline:	Architectural
Client:	Bellway Homes
Tenant:	
Status:	CONSTRUCTION
Rev & date:	Rev C3 ISSUED FOR CONSTRUCTION 160722105101




Door Tag Code	Type	Level and Plot	Room N°	Opening N°	Room Name	Structural Opening Size (IMPORTANT: SITE CHECK ALL)			Door Leaf Size			Fire Rating (Door & Frame)	Acoustic Rating Rw(dB)	Finishes		Vision Panels (Per leaf)		Kick-plates Req'd	Access Control Req'd (Y/N)	Iron mongery Pack	Assembly Elevation Type	Spec Ref:	Comments
						Height	Width	Depth	Height	Width	Depth			Door	Frame	Height	Width						
D-G18-03-01	D	G18	03	01	Kitchen	2040	846	88	1981	764	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-G18-04-01	D	G18	04	01	Hall	2100	1472.5	332.5	2040	826	44	-	-	Safety glass and panelled timber	Dark Grey Aluminium	562	2110	No	Yes	-	01	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
D-G18-05-01	D	G18	05	01	Cup'd	2040	846	88	1981	764	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-G19-01-01	D	G19	01	01	Living/Dining Room	2033	1596	88	1981	2*762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	07	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-G19-02-01	D	G19	02	01	Wet room	2033	846	106	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-G19-04-01	D	G19	04	01	Hall	2110	1472.5	332.5	2040	826	44	-	-	Safety glass and panelled timber	Dark Grey Aluminium	1990	482.5	No	Yes	-	01	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)
D-G19-05-01	D	G19	05	01	Cup'd	2033	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-G5-01-01	D	G5	01	01	Living/Dining Room	2040	998	88	1981	914	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	03	Spec 12.0	x 2 No (Units 5&6). Part M compliant.
D-G5-02-01	D	G5	02	01	Wet room	2040	998	106	1981	914	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	03	Spec 12.0	x 2 No (Units 5&6). Part M compliant.
D-G5-03-01	D	G5	03	01	Kitchen	2040	998	88	1981	914	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	03	Spec 12.0	x 2 No (Units 5&6). Part M compliant.
D-G5-04-01	D	G5	04	01	Hall	2100	1467.5	332.5	2040	1447.5	44	-	-	Safety glass and panelled timber	Dark Grey Aluminium	1005	100	-	Yes	-	01	Spec 11.1	x 2 No (Units 5&6). Part M compliant.

Housing Development Hebdon Road Tooting

Door Schedule 4720-A-600

Job N°	4720
Discipline:	Architectural
Client:	Bellway Homes
Tenant:	
Status:	CONSTRUCTION
Rev & date:	Rev C3 ISSUED FOR CONSTRUCTION 160722105101




Door Tag Code	Type	Level and Plot	Room N°	Opening N°	Room Name	Structural Opening Size (IMPORTANT: SITE CHECK ALL)			Door Leaf Size			Fire Rating (Door & Frame)	Acoustic Rating Rw(dB)	Finishes		Vision Panels (Per leaf)		Kick-plates Req'd	Access Control Req'd (Y/N)	Iron mongery Pack	Assembly Elevation Type	Spec Ref:	Comments
						Height	Width	Depth	Height	Width	Depth			Door	Frame	Height	Width						
D-G5-05-01	D	G5	05	01	Cup'd	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 2 No (Units 5&6). Part M compliant.
D-G8-01-01	D	G8	01	01	Living/Dining Room	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-G8-02-01	D	G8	02	01	Wet room	2040	846	106	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-G8-03-01	D	G8	03	01	Kitchen	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-G8-04-01	D	G8	04	01	Hall	2100	1467.5	332.5	2040	836	44	-	-	Safety glass and panelled timber	Dark Grey Aluminium	1005	100	-	Yes	-	01	Spec 11.1	x6 No (Units 1-4, 7& 8)
D-G8-05-01	D	G8	05	01	Cup'd	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x6 No (Units 1-4, 7& 8)
D-S18-02-01	D	S18	02	01	Bedroom 2	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-S18-03-01	D	S18	03	01	Bedroom 3	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-S18-04-01	D	S18	04	01	Bathroom	2040	846	100	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-S18-05-01	D	S18	05	01	En Suite	2040	846	100	1981	762	44	-	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)

Housing Development Hebdon Road Tooting

Door Schedule 4720-A-600

Job N°	4720
Discipline:	Architectural
Client:	Bellway Homes
Tenant:	
Status:	CONSTRUCTION
Rev & date:	Rev C3 ISSUED FOR CONSTRUCTION 160722105101



Door Tag Code	Type	Level and Plot	Room N°	Opening N°	Room Name	Structural Opening Size (IMPORTANT: SITE CHECK ALL)			Door Leaf Size			Fire Rating (Door & Frame)	Acoustic Rating R _w (dB)	Finishes		Vision Panels (Per leaf)		Kick-plates Req'd	Access Control Req'd (Y/N)	Iron mongery Pack	Assembly Elevation Type	Spec Ref:	Comments
						Height	Width	Depth	Height	Width	Depth			Door	Frame	Height	Width						
D-S18-06-01	D	S18	06	01	Airing	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 4 No (Units 9, 17, 18 & 26)
D-S19-02-01	D	S19	02	01	Bedroom 2	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-S19-03-01	D	S19	03	01	Bathroom	2040	846	100	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-S19-04-01	D	S19	04	01	Bedroom 3	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-S19-05-01	D	S19	05	01	EnSuite	2040	762	100	1981	686	44	-	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	8	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-S19-06-01	D	S19	06	01	Airing	2040	846	88	1981	762	44	FR30	-	44mm grooved face solid oak	White primed. Double grooved architrave. 200mm hi x 100mm wd x 22mm dp top chamfered skirting block	-	-	-	-	Lever on rose SR700SNCP. Bright steel butts, latch and keep.. Bright steel butts, latch and keep.	02	Spec 12.0	x 14 No (Units 10 - 16 & 19 - 25)
D-S8-01-01	D	S8	01	01	Loft Hatch	550	550	n/a	540	540	44	n/a	n/a	Painted timber	Gloss Paint	n/a	n/a	n/a	n/a	-	05	Spec 12.0	x6 No (Units 1-4, 7& 8)

General Notes:	
1. All structural opening sizes are to be checked on site prior to manufacture of door linings/frames and leafs. Specialist door supplier is responsible for all handing of door leafs as shown on the General Arrangement Floor Plans.	
2. Pack size stated to jamb is based on a nominal 32 mm lining thickness and should be adjusted to suit specialist door suppliers standard dimensions. Refer to detail drawings for more information.	
3. Door leaf thicknesses to be determined by the specialist door supplier, based on the fire and acoustic requirements provided.	
4. Door stop sizes to be determined by the specialist door supplier, in accordance with the fire requirements provided.	
5. Acoustic and fire seals specification to be determined by the specialist door supplier, in accordance with the fire and acoustic requirements provided.	
6. Final lining details to be determined by the specialist door supplier.	