

Housing Development Hebdon Road Tooting

Window Schedule 4720-A-610



Job N°	4720
Discipline:	Architecture
Client:	Bellway Homes
Tenant:	
Status:	CONSTRUCTION
Rev & date:	Rev C4 ISSUED FOR CONSTRUCTION 160722105501 Markup revs

Window Tag Code	Type	Level	Room N°	Opening N°	Room Name	Structural Opening Size (IMPORTANT: SITE CHECK ALL)			Window Frame Size			Fire Rating (Window & Frame)	Acoustic Rating Rw(dB)	Finishes		Opening Light		Safety Glass Req'd	Access Control Req'd (Y/N)	Rest rictors Req'd	Assembly Elevation Type	NBS Ref. (L20/___)	Comments
						Height	Width	Depth	Height	Width	Depth			Frame	Glass	Height	Width						
W-F18-01-01	W	F18	01	01	Bedroom 1	2110	2035	332.5	2090	2015	-	-	-	Dark Grey Aluminium	-	2040	1915	Yes	EW	No	S	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-F18-01-02	W	F18	01	02	Bedroom 1	2110	685	332.5	2090	665	-	-	-	Dark Grey Aluminium	-	1280	605	Part	EW	Yes	H	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-F18-01-03	W	F18	01	03	Bedroom 1	1285	685	332.5	1265	665	-	-	-	Dark Grey Aluminium	-	1280	605	No	EW	Yes	C	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-F18-02-01	W	F18	02	01	Dressing Room	985	1022.5	332.5	965	1002.5	-	-	-	Dark Grey Aluminium	-	905	315	No	Yes	Yes	I	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-F18-04-01	W	F18	04	01	Bedroom 4	2110	1022.5	332.5	2090	1002.5	-	-	-	Dark Grey Aluminium	-	1290	722.5	Part	EW	Yes	N	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-F18-05-01	W	F18	05	01	Landing	2110	1022.5	332.5	2090	1002.5	-	-	-	Dark Grey Aluminium	-	-	-	Yes	-	-	E	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-F19-01-01	W	F19	01	01	Bedroom 1	1285	685	332.5	1265	665	-	-	-	Dark Grey Aluminium	-	1280	605	No	EW	Yes	C	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)
W-F19-01-02	W	F19	01	02	Bedroom 1	2110	685	332.5	2090	665	-	-	-	Dark Grey Aluminium	-	1280	605	Part	EW	Yes	U	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)
W-F19-03-01	W	F19	03	01	Bedroom 4	2110	1022.5	332.5	2090	1002.5	-	-	-	Dark Grey Aluminium	-	1260	712.5	Part	EW	Yes	N	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)
W-F19-04-01	W	F19	04	01	Landing	2110	1022.5	332.5	2090	1002.5	-	-	-	Dark Grey Aluminium	-	-	-	Yes	-	-	E	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)
W-F5-01-01	W	F5	01	01	Bedroom 1	1360	1697.5	332.5	1340	1677.5	-	-	-	Dark Grey Aluminium	-	1280	562.5	No	EW	Yes	L	Spec 11.1	x 2 No (Units 5&6). Part M compliant.
W-F5-02-01	W	F5	02	01	Bedroom 2	2110	1465	332.5	2090	1445	-	-	-	Dark Grey Aluminium	-	2040	1352.5	Yes	EW	Yes	Q	Spec 11.1	x 2 No (Units 5&6). Part M compliant.
W-F5-02-02	W	F5	02	02	Bedroom 2	1285	1022.5	332.5	1265	1002.5	-	-	-	Dark Grey Aluminium	-	1205	635	-	EW	Yes	M	Spec 11.1	x 2 No (Units 5&6). Part M compliant.
W-F8-01-01	W	F8	01	01	Bedroom 2	1060	685	332.5	1040	665	-	-	-	Dark Grey Aluminium	Obscure	290	605	No	Yes	Yes	F	Spec 11.1	Unit 1 only
W-F8-01-01	W	F8	01	01	Bedroom 2	1360	1697.5	332.5	1340	1677.5	-	-	-	Dark Grey Aluminium	-	1280	562.5	No	EW	Yes	L	Spec 11.1	x6 No (Units 1-4, 7& 8)
W-F8-02-01	W	F8	02	01	Bedroom 1	2110	1472.5	332.5	2090	1452.5	-	-	-	Dark Grey Aluminium	-	2040	1352.5	Yes	EW	Yes	Q	Spec 11.1	x6 No (Units 1-4, 7& 8)
W-F8-02-02	W	F8	02	02	Bedroom 1	1285	1022.5	332.5	1265	1002.5	-	-	-	Dark Grey Aluminium	-	1205	635	-	Yes	Yes	M	Spec 11.1	x6 No (Units 1-4, 7& 8)
W-F8-04-01	W	F8	04	01	Bathroom	1060	685	332.5	1040	665	-	-	-	Dark Grey Aluminium	Obscure	290	605	No	Yes	Yes	F	Spec 11.1	Unit 1 only
W-F8-05-01	W	F8	05	01	Landing Unit 8	1660	685	332.5	1640	665	-	-	-	Dark Grey Aluminium	-	290	605	No	Yes	Yes	G	Spec 11.1	Unit 8 only
W-G18-01-01	W	G18	01	01	Living/Dining Room	1885	3047.5	332.5	1865	3027.5	-	-	-	Dark Grey Aluminium	-	1240	1030	Part	Yes	Yes	O	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)

Housing Development Hebdon Road Tooting

Window Schedule 4720-A-610



Job N°: 4720
 Discipline: Architecture
 Client: Bellway Homes
 Tenant:
 Status: CONSTRUCTION
 Rev & date: Rev C4 ISSUED FOR CONSTRUCTION 160722105501 Markup revs

Window Tag Code	Type	Level	Room N°	Opening N°	Room Name	Structural Opening Size (IMPORTANT: SITE CHECK ALL)			Window Frame Size			Fire Rating (Window & Frame)	Acoustic Rating Rw(dB)	Finishes		Opening Light		Safety Glass Req'd	Access Control Req'd (Y/N)	Rest rictors Req'd	Assembly Elevation Type	NBS Ref. (L20/___)	Comments
						Height	Width	Depth	Height	Width	Depth			Frame	Glass	Height	Width						
W-G18-01-02	W	G18	01	02	Living/Dining Room	2110	1810	332.5	2090	1790	-	-	-	Dark Grey Aluminium	-	2030	1675	Yes	Yes	No	R	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-G18-02-01	W	G18	02	01	WC	985	1022.5	332.5	965	1002.5	-	-	-	Dark Grey Aluminium	Obscure	905	315	No	Yes	Yes	I	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-G18-03-01	W	G18	03	01	Kitchen	2110	1022.5	332.5	2090	1002.5	-	-	-	Dark Grey Aluminium	-	1290	722.5	Part	EW	Yes	N	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-G18-03-02	W	G18	03	02	Kitchen	985	1922.5	332.5	965	1902.5	-	-	-	Dark Grey Aluminium	-	905	640	No	Yes	Yes	K	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-G19-01-01	W	G19	01	01	Living/Dining Room	1285	910	332.5	1265	890	-	-	-	Dark Grey Aluminium	-	1280	830	No	Yes	Yes	D	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)
W-G19-01-02	W	G19	01	02	Living/Dining Room	2110	1810	332.5	2090	1790	-	-	-	Dark Grey Aluminium	-	2040	1690	Yes	Yes	No	R	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)
W-G19-01-03	W	G19	01	03	Living/Dining Room	750	2000	200	tbc	tbc	tbc	tbc	tbc	tbc	tbc	tbc	tbc	tbc	tbc	tbc	Rooflight	-	x 14 No (Units 10 - 16 & 19 - 25)
W-G19-03-01	W	G19	03	01	Kitchen	1060	2035	332.5	1040	2015	-	-	-	Dark Grey Aluminium	-	980	702.5	No	EW	Yes	J	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)
W-G5-01-01	W	G5	01	01	Living/Dining Room	2110	3160	332.5	2090	3140	-	-	-	Dark Grey Aluminium	-	955	2090	Yes	Yes	No	T	Spec 11.1	x 2 No (Units 5&6). Part M compliant.
W-G5-03-01	W	G5	03	01	Kitchen	2100	2222.5	332.5	2080	2202.5	-	-	-	Dark Grey Aluminium	-	1030	635	Part	EW	Yes	P	Spec 11.1	x 2 No (Units 5&6). Part M compliant.
W-G8-01-01	W	G8	01	01	Living/Dining Room	2110	3160	332.5	2090	3140	-	-	-	Dark Grey Aluminium	-	955	2090	Yes	Yes	No	T	Spec 11.1	x6 No (Units 1-4, 7& 8)
W-G8-03-01	W	G8	03	01	Kitchen	2100	2222.5	332.5	2080	2202.5	-	-	-	Dark Grey Aluminium	-	1030	635	Part	EW	Yes	P	Spec 11.1	x6 No (Units 1-4, 7& 8)
W-S18-02-01	W	S18	02	01	Bedroom 2	2100	2035	332.5	2080	2015	-	-	-	Dark Grey Aluminium	-	2040	1915	Yes	EW	No	S	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-S18-03-01	W	S18	03	01	Bedroom 3	2110	2035	332.5	2090	2015	-	-	-	Dark Grey Aluminium	-	2040	1915	Yes	EW	No	S	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-S18-03-02	W	S18	03	02	Bedroom 3	2110	685	332.5	2090	665	-	-	-	Dark Grey Aluminium	-	1280	605	Part	EW	Yes	H	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-S18-03-03	W	S18	03	03	Bedroom 3	1285	685	332.5	1265	665	-	-	-	Dark Grey Aluminium	-	1280	605	No	EW	Yes	C	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-S18-04-01	W	S18	04	01	Bathroom	985	685	332.5	965	665	-	-	-	Dark Grey Aluminium	Obscure	905	615	No	Yes	Yes	B	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-S18-05-01	W	S18	05	01	En Suite	1135	460	332.5	1115	440	-	-	-	Dark Grey Aluminium	Obscure	1045	380	No	Yes	Yes	A	Spec 11.1	x 4 No (Units 9, 17, 18 & 26)
W-S19-02-01	W	S19	02	01	Bedroom 2	2110	2035	332.5	2090	2015	-	-	-	Dark Grey Aluminium	-	2040	1915	Yes	EW	No	S	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)
W-S19-04-01	W	S19	04	01	Bedroom 3	1285	685	332.5	1265	665	-	-	-	Dark Grey Aluminium	-	1280	605	No	EW	Yes	C	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)

Housing Development Hebdon Road Tooting

Window Schedule 4720-A-610



Job N°: 4720
 Discipline: Architecture
 Client: Bellway Homes
 Tenant:
 Status: CONSTRUCTION
 Rev & date: Rev C4 ISSUED FOR CONSTRUCTION 160722105501 Markup revs

Window Tag Code	Type	Level	Room N°	Opening N°	Room Name	Structural Opening Size (IMPORTANT: SITE CHECK ALL)			Window Frame Size			Fire Rating (Window & Frame)	Acoustic Rating Rw(dB)	Finishes		Opening Light		Safety Glass Req'd	Access Control Req'd (Y/N)	Rest rictors Req'd	Assembly Elevation Type	NBS Ref. (L20/___)	Comments
						Height	Width	Depth	Height	Width	Depth			Frame	Glass	Height	Width						
W-S19-04-02	W	S19	04	02	Bedroom 3	2110	685	332.5	2090	665	-	-	-	Dark Grey Aluminium	-	1280	605	Part	EW	Yes	H	Spec 11.1	x 14 No (Units 10 - 16 & 19 - 25)

General Notes:

- All structural opening sizes are to be checked on site prior to manufacture of Window linings/frames. Specialist Window supplier is responsible for all handing of Windows as shown on the General Arrangement Floor Plans.
- Pack size stated to jamb is based on a nominal 32 mm lining thickness and should be adjusted to suit specialist Window suppliers standard dimensions. Refer to detail drawings for more information.
- Window thicknesses to be determined by the specialist Window supplier, based on the fire and acoustic requirements provided.
- Window stop sizes to be determined by the specialist Window supplier, in accordance with the fire requirements provided.
- Acoustic and fire seals specification to be determined by the specialist Window supplier, in accordance with the fire and acoustic requirements provided.
- Final lining details to be determined by the specialist Window supplier.
- Refer also to NBS work-sections L20 + L40 generally.
- Escape windows marked with 'EW'. Escape windows to have openable unobstructed area of at least 0.33m², and/or at least 450mm wide x 450mm high, with bottom of openable area no more than 1100mm above floor level.