



- Reflected Ceiling Plan Legend**  
 All colours to be confirmed.  
 All unhatched areas are exposed concrete soffits to be made good and painted.
- Plasterboard bulkhead with downlights
  - Suspended Armstrong Diploma E24 suspended 600x600 grid - meeting rooms + general areas
  - Suspended Armstrong BioGuard Acoustic E24 suspended 600x600 grid - hygienic areas
  - Plasterboard ceiling
  - Rockfon Alaska D Acoustic Suspended 600 x 600 grid - High sound absorption
  - Existing ceiling made good and painted white
  - Underside of concrete slab made good and painted white
  - Phase change plasterboard bulkhead
  - Exposed waffle slab made good and painted. Colour TBC.
  - Exposed beam and pot floor made good and painted. Colour TBC.
  - Exposed pre-cast slab made good and painted. Colour TBC.
  - Phased change F.E.S. board ceiling material (for thermal mass)
  - 1hr Fire Ceiling: 2x layers of 12.5mm Fireline plasterboard in accordance with Manufacturer's design and instructions

## AS BUILT DRAWING

NB: - Solid gray hatch denotes existing building fabric.

Rev	Date	By	Ck	Comment

BRINGING IDEAS TO LIFE

**FRANKHAM**

**Frankham Consultancy Group Limited**  
 21 Perryman Road  
 Heywards Heath, RH11 6 3TP  
 t 01444 444900 f 01444 455642  
 enquiry@frankham.com  
 www.frankham.com

Client

**WILLMOTT DIXON CONSTRUCTION**

Project Title

Wealden District Council  
 Hailsham Head Quarters  
 Refurbishments and Alterations

Drawing Title

Proposed Ground Floor Plan  
 Council Offices Building  
 Reflected Ceiling Plan

Drawn by: RKC	Scale: 1:100@A1	Date: 22.11.10
Designed by: FCG	Checked by: JAS	Approved by: AC

File Ref.: X:\FRANKHAM\021185\WEALDEN\04\ARCH\10_16_LOCATION_PLAN_RFC.dwg 521185-A-140 DWG - 23/11/2010 11:16:05.48	Drawing No. <b>521185-A-140</b>	Rev. -
------------------------------------------------------------------------------------------------------------------------	------------------------------------	-----------

NB: All information based on supplied third party survey information. All discrepancies to be reported to FCG immediately upon discovery.

All Mechanical & Electrical and Structural information shown indicative only. Please refer to Mechanical & Electrical and Structural documentation.